

Downey, Scott

From: Schrieve, Garin (ECY) <gasc461@ECY.WA.GOV>
Sent: Thursday, August 28, 2014 9:42 AM
To: Johnston, Jeff (ECY); Downey, Scott
Cc: Dossett, Donald
Subject: RE: Weyerhaeuser Longview applicability determination

On the afternoon of the 2nd I'm available between 1-1:30, 2:30-3, and 3:30-4.

From: Johnston, Jeff (ECY)
Sent: Thursday, August 28, 2014 9:40 AM
To: Downey, Scott
Cc: Schrieve, Garin (ECY); Dossett, Donald
Subject: RE: Weyerhaeuser Longview applicability determination

All,

Tuesday afternoon works for me and it looks like it works for Garin (but Garin can confirm). I'll also invite Bob Burmark to join us for the discussion since he's the one who has reviewed the applicability analysis.

Jeff

From: Downey, Scott [<mailto:Downey.Scott@epa.gov>]
Sent: Thursday, August 28, 2014 9:32 AM
To: Johnston, Jeff (ECY)
Cc: Schrieve, Garin (ECY); Dossett, Donald
Subject: RE: Weyerhaeuser Longview applicability determination

I would like to add Katie McClintock to the meeting and she is not available today and I'm out tomorrow. How does the afternoon of Tuesday (Sept. 2) work for you and Garin? Don – would that work for you?

~~~~~

Scott Downey, Manager  
Air and RCRA Compliance Unit  
EPA Region 10, OCE-127  
1200 6th Ave, Suite 900  
Seattle, WA 98101, (206) 553-0682  
Follow @EPAnorthwest on Twitter!  
<https://twitter.com/EPAnorthwest>

---

**From:** Johnston, Jeff (ECY) [<mailto:jefj461@ECY.WA.GOV>]  
**Sent:** Wednesday, August 27, 2014 4:49 PM  
**To:** Downey, Scott; Dossett, Donald  
**Cc:** Schrieve, Garin (ECY)  
**Subject:** Weyerhaeuser Longview applicability determination

Scott and Don,

Ecology has completed an initial review of Weyerhaeuser Longview's December 2012 PSD applicability determination on the No. 11 Boiler Upgrade Project. Do you want to set-up another call for the 4 of us to discuss? Or some other way to move forward?

Cheers,

Jeff

---

Jeff Johnston, Ph.D. | Manager, Science & Engineering Section  
Air Quality Program | Washington Department of Ecology  
[jeff.johnston@ecy.wa.gov](mailto:jeff.johnston@ecy.wa.gov) | 360.407.6115 | Cell 360.628-4511 | Fax 360.407.7534  
PO Box 47600 | Olympia, WA 98504-7600 | STREET: 300 Desmond Drive SE | Lacey, WA 98503-1274